## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## **Listing of Claims:**

1. (previously presented) A surgical band designed to be implanted in the body of a patient around a biological organ or organs, consisting of a pouch or a tube for altering the flow area of said organ when it is clamped by the band, said band comprising:

a flexible strip designed to be substantially closed at its two ends in order to form a closed loop; said strip comprising an annular compression chamber designed to contain a filling fluid; said chamber being defined by an internal wall designed to be in contact with the organ being clamped and a dorsal wall,

wherein said dorsal wall consists of a bead having an inner face situated opposite the chamber, said inner face has at least one longitudinal slot for influencing the deformation of the internal wall with a view to limiting the presence of surface irregularities in the area of the internal wall, when the strip forms a closed loop.

- 2. (previously presented) The band of Claim 1, wherein the internal wall comprises a membrane.
- 3. (currently amended) The band of Claim 1, wherein the chamber is a chamber having has a volume that can be adjusted by injecting or withdrawing said filling fluid.
- 4. (previously presented) The band of Claim 1, wherein the bead has a homogeneous property and the longitudinal slot is arranged entirely within the bead.
- 5. (previously presented) The band of Claim 1, wherein the internal wall comprises a first elastomer material, and the dorsal wall comprises a second elastomer material.

160955\_1.DOC 5

- 6. (previously presented) The band of Claim 5, wherein said first and second materials are identical.
- 7. (previously presented) The band of Claim 6, wherein said first and second materials have substantially identical hardness levels.
- 8. (previously presented) The band of Claim 1, wherein the internal wall is made integral with the dorsal wall.
- 9. (previously presented) The band of Claim 1, wherein the inner face of the bead has a single longitudinal slot positioned substantially at the center of said face.
- 10. (previously presented) The band of Claim 1, wherein the longitudinal slot has a substantially rectangular-shaped cross section.
- 11. (currently amended) The band of Claim 1, wherein the strip is in the form of a solid tube having a substantially elliptical cross section, said tube being hollowed out so as to form both the chamber and the longitudinal slot, said chamber and slot communicating in order to form a single cavity whose cross-sectional shape substantially resembles that of a mushroom whose stem is formed by the slot, while the a cap is formed by the chamber.
- 12. (currently amended) The band of Claim 11, wherein the cross section of the chamber has an overall quarter-likecircle segment appearance.
- 13. (previously presented) The band of Claim 11, wherein the cross section of the chamber has an overall crescent-like appearance.
- 14. (previously presented) The band of Claim 1, wherein the band constitutes a gastroplasty band designed to be implanted around the stomach or the oesophagus.

160955\_1.DOC 6

- 15. (withdrawn) A method of manufacturing a surgical band designed to be implanted in the body of a patient around a biological organ or organs, the band comprising a pouch or a tube for altering the flow area of said organ when the organ is clamped by the band in which is made an annular compression chamber, designed to contain a filling fluid:
- said chamber being defined by an internal wall designed to be in contact with the organ being clamped and a dorsal wall,
  - said method comprising
    - (a) making the bead intended to form the dorsal wall; said bead having an inner face situated opposite the chamber, and
    - (b) creating said interior surface, with at least one longitudinal slot for influencing the deformation of the internal wall with a view to limiting the presence of surface irregularities in the area of the internal wall, when the strip forms a closed loop.
- 16. (withdrawn) The method of Claim 15, wherein the internal wall comprises a membrane.
- 17. (withdrawn) The method of Claim 15, wherein the chamber is a chamber having a volume that can be adjusted by injecting or withdrawing filling fluid.
- 18. (withdrawn) The method of Claim 15, wherein the chamber, the internal and dorsal walls, as well as said at least one slot are produced by a single operation of injecting a single elastomer material into a mold.
- 19. (withdrawn) The method of Claim 15, wherein the method is used to manufacture a gastroplasty band designed to be implanted around the stomach or the oesophagus.
- 20. (currently amended) The band of Claim 2, wherein the chamber is a chamber havinghas a volume that can be adjusted by injecting or withdrawing said filling fluid.

160955\_1.DOC 7

U.S. Patent Application No. 10/598,101 Response to Office Action dated May 20, 2011

21. (withdrawn) The method of Claim 16, wherein the chamber is a chamber having a volume that can be adjusted by injecting or withdrawing filling fluid.

160955\_1.DOC

8